



CREATING A CLEANER, SAFER, HEALTHIER WORLD.

EQUIPMENT




# T350

## STAND-ON FLOOR SCRUBBER

Gives you the confidence to reduce cleaning costs while delivering high performance cleaning results.

# CONFIDENCE COMES FROM CHOOSING EQUIPMENT THAT HELPS YOU MEET YOUR GOALS

T350 PROVIDES CATEGORY LEADING PRODUCTIVITY



Tennant practical productivity calculations



## REDUCE COST TO CLEAN

- **Clean over 30,000 square feet per hour** without sacrificing performance on the floor.
- **Maximize uptime** with a durable design, easy-to-access mechanicals, and readily available parts and consumables.
- **Maximize machine usage** with up to 94 minutes between dump and fill cycles and up to 4 hours of battery run time.
- **Simplify training and increase efficiency** with on-board machine instructions for operators.
- **Minimize secondary cleaning operations** with ec-H2O NanoClean® and Severe Environment™ Switch.



## IMPROVE HEALTH AND SAFETY

- **Reduce the risk of slip-and-fall accidents** and ensure soils are removed from the floor with advanced squeegee design.
- **Ensure operator comfort and control** with ergonomics designed for a stand-on machine with easy-to-use steering and controls.



## ENHANCE FACILITY IMAGE

- **Ensure consistent results** with programmable Zone Settings™ that reduce dependence on operator set-up for different surfaces and areas.
- **Incorporate daytime cleaning** with optional Quiet-Mode™ that reduces machine noise levels to as low as 59.7 dBA.
- **Clean a variety of floor surfaces**, including textured and grouted floors, with excellent down pressure and multiple cleaning pad and brush choices.



## MINIMIZE ENVIRONMENTAL IMPACT

- **Reduce water consumption** up to 70% and disposal of cleaning detergents into the waste stream with ec-H2O NanoClean® technology.

# AROUND THE T350



## INNOVATIVE, EXCLUSIVE TECHNOLOGIES

### SMART-FILL™ AUTOMATIC BATTERY WATERING

Smart-Fill™ makes battery maintenance safer by removing the task of checking, opening, and filling flooded batteries.

### PRO-PANEL® LCD TOUCHSCREEN TECHNOLOGY

Deliver predictable cleaning results with operator ID, on-demand tutorial videos and customizable Zone Settings™ with Pro-Panel® technology.

### IRIS® IRIS ASSET MANAGER

Increase productivity, reduce cost to clean and make informed decisions with intelligent insights from IRIS® Asset Manager.

### ec-H2O® NanoClean

ec-H2O NanoClean® technology electrically converts water into an innovative cleaning solution that cleans effectively, saves money, improves safety, and reduces environmental impact compared to daily cleaning floor chemicals and methods.†

†ec-H2O NanoClean® technology is not suitable for all soils, including heavy concentrations of fats and oils. Depending on the type of soil, conventional chemical cleaners may be required.

## TENNANTTRUE® PARTS, SERVICE AND FINANCE SOLUTIONS

- Reduce rework, labor and safety costs by using only TennantTrue parts and service.
- Ensure optimal cleaning performance by selecting a TennantTrue Service program provided by a network of over 400 factory-trained Tennant service representatives.
- Improve uptime by leveraging TennantTrue parts and service.
- Simplify budgeting by bundling TennantTrue service plans, including parts, into the purchase or financing of your machine.

## ENVIRONMENTAL STEWARDSHIP



ec-H2O NanoClean® technology is NFSI (National Floor Safety Institute) Certified



ec-H2O NanoClean technology is registered by NSF International

## T350 STAND-ON FLOOR SCRUBBER

	20 IN / 500 MM SINGLE DISK	24 IN / 600 MM DUAL DISK
Cleaning Tool Attachment	3-Lug Standard / Insta-Click™ Optional	
Machine Speed		
Top Scrub and Forward Transport	3.6 mph (5.8 km/hr)	
Top Reverse Transport	1.1 mph (1.8 km/hr)	
Scrubbing Coverage Rate Per Hour		
Theoretical Max	31,680 ft <sup>2</sup> (2,946 m <sup>2</sup> )	38,016 ft <sup>2</sup> (3,535 m <sup>2</sup> )
Conventional - Practical	24,588 ft <sup>2</sup> (2,287 m <sup>2</sup> )	30,052 ft <sup>2</sup> (2,795 m <sup>2</sup> )
ec-H2O NanoClean® - Practical	25,284 ft <sup>2</sup> (2,351 m <sup>2</sup> )	30,903 ft <sup>2</sup> (2,874 m <sup>2</sup> )
<b>CONTROL PANEL</b>		
Pro-Membrane™	Standard	
LCD Pro-Panel® Touch Screen	Optional	
<b>BRUSH/PAD DRIVE SYSTEM</b>		
Cleaning Path	20 in / 500 mm	24 in / 600 mm
Pad/Brush RPM	215 rpm	275 rpm
Pad/Brush Down Pressure	62 & 90 lbs (28 & 41 kg)	64 & 91 lbs (29 & 41 kg)
Scrub Motor	24 VDC, 0.87 HP / 0.65 kW	
<b>SOLUTION/RECOVERY SYSTEM</b>		
Solution Tank Capacity	14.1 gal (53 L)	
Recovery Tank Capacity	18.4 gal (70 L)	
Drive Motor	24 VDC, 0.64 HP / 0.48 kW	
Vacuum Motor	24 VDC, 0.62 hp / 0.46 kW	
Vacuum Water Lift	42 in (1,067 mm)	
<b>CLEANING TECHNOLOGY</b>		
Conventional	Standard	
ec-H2O NanoClean® Technology	Optional	
Conventional Water Flow	0.15 / 0.35 / 0.50 gpm	
ec-H2O NanoClean® Technology	0.57 / 1.32 / 1.89 lpm	
Water Flow	0.12 / 0.25 / 0.35 gpm	
	0.45 / 0.95 / 1.32 lpm	
<b>BATTERY SYSTEM</b>		
System Voltage / Battery Count	24 Volts / 4	
Batteries	Wet 210 AH	
	Wet 240 AH (Provides longest run time)	
	Sealed AGM 220AH	
Battery Run Time* (Up to Hours)	3.1	4.0
On-Board Charger	Yes	Yes
Off-Board Charger	Yes	Yes
<b>DECIBEL RATINGS AT OPERATOR EAR**</b>		
Standard - dBA	63.7	64.5
Quiet-Mode™ - dBA	59.7	61.3
<b>MACHINE DIMENSIONS AND WEIGHTS</b>		
Overall Width with Squeegee	30.1" / 765 mm	31.2" / 793 mm
Length X Width X Height	55 X 26.5 X 49 Inches	
	1,397 X 673 X 1,245 mm	
Weight (less batteries)	490 lbs / 222 kg	495 lbs / 225 kg
Weight (with batteries)	725 lbs / 329 kg	730 lbs / 331 kg
<b>WARRANTY</b>		
See your local representative for warranty information		

Specifications subject to change without notice.

\* Run times are based on continuous scrubbing run times.

\*\* Sound levels per ISO 11201 as recommended by the American Association of Cleaning Equipment manufacturers & OSHA.

**Lease. Pre-Owned. Rent. Tennant has flexible options that get you the machines you need, however you need them.**

## SEEING IS BELIEVING

For a demonstration or additional information, call +1.800.553.8033 or email [info@tennantco.com](mailto:info@tennantco.com)

Tennant  
701 North Lilac Drive  
Minneapolis, MN 55422 USA

USA/Canada: +1.800.553.8033  
Quebec: +1.800.361.9050  
Overseas: +1.763.540.1315

[www.tennantco.com](http://www.tennantco.com)  
[info@tennantco.com](mailto:info@tennantco.com)